

Blue Reef Water Solutions (Pty) Ltd Reg No 2013/149985/07 Tel. +27 31 910 7500 PO Box 32079, Mobeni, 4060, KwaZulu-Natal, South Africa

Safety Data Sheet

SECTION 1 – IDENTIFICATION

1.1 Product BOS-L25-HP

1.2 Uses WATER TREATMENT Scale/Corrosion Inhibitor

1.3 Manufacturer & Supplier Information

Blue Reef Water Solutions (Pty) LtdNew Germany Industrial Park,KZN, Republic of South AfricaDate SDS prepared1 January 2018 Rev. 2Aug 2021Prepared bylab@gold-reef.co.zaEmergency No.+27319107500

SECTION 2 - HAZARD IDENTIFICATION

2.1 Classification



Corrosive – Cat. 3 UN 3266

2.2 Labelling

Identification : BOS-L25-HP UN No. : 3266 n.o.s. basic inorganic liquid Classification : Corrosive – 8 PG III

2.3 Other Hazards

Wear all recommended Personal Protective Equipment and Handle All Chemical Substances with Care

SECTION 3 - HAZARDOUS INGREDIENT

INFORMATION

3.1 Product Type	polymeric mixture
3.2 Hazardous Types	NaOH <10%

SECTION 4 - FIRST AID

4.1 – Measures

Inhalation Not an irritant. If found to be an irritant, move to well aerated area.
Skin Contact May cause skin irritation and minor burns. Wash with copious amounts of water. Obtain medical attention.

Eye Contact Will cause severe irritation and burns. Flush eyes immediately with copious amounts of water & obtain medical attention.

Ingestion If wallowed do not induce vomiting. Obtain immediate medical attention.

4.2 Most Important Symptoms Ingestion & Eye Contact

SECTION 5 – FIRE FIGHTING MEASURES 5.1 Extinguishing Media

Product is non-flammable. Containers of HDPE will be flammable. Water spray jets and foams are adequate.

5.2 Special Hazards

Upper & Lower Flammability Limits N/A Auto Ignition N/A

5.3 Advice for Firefighting

Wear full protective equipment with selfcontained breathing apparatus due to gases/vapours that may result from product and container degradation. Eg. CO2, CO etc. **5.4 Additional Information**

Prevent product run off into storms water

SECTION 6-ACCIDENTAL RELEASE MEASURES 6.1 Personal Precautions & PPE

Follow internal emergency procedures. Wear Eye Protection, Gloves, Overall and Safety Boots/Shoes.

6.2 Environmental Precautions Prevent product run off to storm and surface water
6.3 Containment Methods Use suitable damming off/absorbant material to prevent run off. Sweep up and dispose of in accordance with local municipal regulations. Advise authorities accordingly in case of serious ground and water contamination.

SECTION 7 – HANDLING & STORAGE 7.1 Safe Handling Precautions

Wear PPE. Avoid unnecessary contact with product. Do not eat & drink in that area. Wash hands after handling. Avoid spillage during

7.2 Storage & Incompatible Materials

transfer.

Store in cool areas at maximum 2 high, separately from strong acids and oxidising agents. SO2 can be released. Avoid freezing and high temperature conditions.

Crystallisation and drum swelling may occur respectively.

SECTION 8 – PERSONAL PROTECTION

8.1 Control Parameters None

8.2 Recommended Personal Protection



Wear coverall, eye-protection and rubber gloves. Avoid contact with eyes and skin. Do not ingest. Store away from feedstuffs.

SECTION 9 – PROPERTIES

9.1 Physical & Chemical Properties

····	
Appearance	Dark Brown Liquid
Odour	Minimal
Flash Pt.	Not Applicable
Auto Ignition	Not Applicable
SG @ 25°C	1.15-1.20
рН @ 25°С	12.0-13.5 (10% m/m)
9.2 Other Information See Section 8	

SECTION 10 - REACTIVITY & STABILITY

10.1 Reactivity Strong Acids/Oxidising Agents**10.2 Stability** Stable under normal conditions**10.3 Hazardous Reactions** Mixing with Strong Acids and Oxidising Agents

10.4 Conditions to Avoid Freezing & Heat
10.5 Materials to Avoid see 10.3
10.6 Hazardous Decomposition Products
Degradation of drums and product in case of fire. By-products from reaction with strong acids and oxidising agents

SECTION 11- TOXICOLOGICAL INFORMATION

(This information is based on this concentration & knowledge and toxicology of similar materials) Acute Oral : LD₅₀ Rat 1000mg/kg Acute Dermal : LD₅₀ Rat 1000mg/kg Acute Inhalation : N/A Skin Irritation : Alkaline - Irritant Eye Irritation : Alkaline – Causes Burns Respiratory Irritation : Mild Sensitisation: Not a sensitizer Repeated Dose : None expected in humans Mutagenicity: Not mutagenic Carcinogenicity : Not carcinogenic Reproductive Toxicity : No fertility effects expected

SECTION 12 – ECOLOGICAL INFORMATION

12.1 Toxicity Zebra Fish : 100-150 mg/l Daphnia magna : 200-250 mg/l Algae : >2000 mg/l Mobility : completely soluble in water Degradability : biodegradable Accumulation : not accumulative Motility in Soil : unknown Results of PBT & vPvB assessments : unknown Other Adverse Effects : alkaline – pH increase Further Ecological Information : alkaline

SECTION 13 – DISPOSAL CONDITIONS

13.1 Waste Treatment Methods

Dispose of product and containers in accordance with local applicable waste classifications and regulations. Contact supplier for advice.

SECTION 14 – TRANSPORT INFORMATION

14.1 UN No. 3266
14.2 UN Shipping Name BOS-L25-HP
14.3 Transport Hazard Class 8
14.4 Packing Group III
14.5 Environmental Hazard Alkaline Material
14.6 Special Precautions Keep Drums Closed
14.7 Additional Information Handle Chemicals
With Care

SECTION 15 - REGULATORY INFORMATION

Classification for Mixtures to EC 1272/2008

SECTION 16 – RISK & SAFETY INFORMATION

16.1 Indication of changes; N/A
16.2 Abbreviations/Synonyms; N/A
16.3 Key Literature & References; refer to sodium hydroxide solutions at 10-20%
concentration

16.4 H & EUH Phrases

- H302 harmful if ingested
- H315 skin irritant
- H319 causes severe eye irritation
- H412 harmful to aquatic life



The data contained herein is believed to be accurate and reliable. However, neither the abovementioned supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. Users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith and without prejudice but without warranty and subject to the exclusion of any liability.

